ELSEVIER

Chemical Physics 193 (1995) 367–369

Chemical Physics

Author index to volume 193

Adamowicz, L., see Sobolewski, A.L. 193 (1995) 67
Altner, S.B., see Maniloff, E.S. 193 (1995) 173
Aminov, K.L. and J.B. Pedersen, Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics 193 (1995) 297
Archirel, P., Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster 193 (1995) 55
Athmer, P.B., see van der Kamp, A.B. 193 (1995) 181

Barzoukas, M., see Runser, C. 193 (1995) 309
Bernet, S., see Maniloff, E.S. 193 (1995) 173
Bolvin, H., see Tchougréeff, A.L. 193 (1995) 19
Busmann, H.-G., see Lill, Th. 193 (1995) 199

Cardini, G., A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations 193 (1995) 101
Combellas, C., see Runser, C. 193 (1995) 309

Dai, S., see Xu, W. 193 (1995) 339
Demidenko, A.A., see Petrov, E.G. 193 (1995) 237
Dickinson, A.S., see Viehland, L.A. 193 (1995) 255
Ding, G.-w., see Yang, W.-s. 193 (1995) 345
Donaldson, D.J., I.V. Okuda and J.J. Sloan, Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$ 193 (1995) 37

Erickson, R., A. Lund and M. Lindgren, Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix 193 (1995) 89

Fišer, J., see Vojtík, J. 193 (1995) 47
Fort, A., see Runser, C. 193 (1995) 309

Golzan, M.M., P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna, NMR evidence for strained carbon bonding in tetrahedral amorphous carbon 193 (1995) 167
Gompper, R., see Schilder, A. 193 (1995) 321
Gorbach, V.V., see Petrov, E.G. 193 (1995) 237
Gotschy, B., see Schilder, A. 193 (1995) 321
Graf, F.R., see Maniloff, E.S. 193 (1995) 173
Graff, R., see Runser, C. 193 (1995) 309
Grätzel, M., see Nüesch, F. 193 (1995) 1
Gu, Y.-s., see Yang, W.-s. 193 (1995) 345
Gygax, H., see Maniloff, E.S. 193 (1995) 173

Hanna, J.V., see Golzan, M.M. 193 (1995) 167
Havenith, M., see Linnartz, H. 193 (1995) 327
He, G.-z., see Yang, W.-s. 193 (1995) 345

Hertel, I.V., see Lill, Th. 193 (1995) 199
Hiemstra, R.S., see van der Kamp, A.B. 193 (1995) 181
Hochstrasser, R.M., see Wynne, K. 193 (1995) 211

Juřek, M., V. Špirko and W.P. Kraemer, Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$ 193 (1995) 287

Kahn, O., see Tchougréeff, A.L. 193 (1995) 19
Kintzinger, J.P., see Runser, C. 193 (1995) 309
Knowles, P.J., see Naumkin, F.Yu. 193 (1995) 27
Kraemer, W.P., see Juřek, M. 193 (1995) 287
Kupriyanov, D.V., Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision 193 (1995) 141

Lacher, F., see Lill, Th. 193 (1995) 199
Lill, Th., H.-G. Busmann, F. Lacher and I.V. Hertel, The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces 193 (1995) 199
Limtrakul, J., Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts 193 (1995) 79
Lindgren, M., see Erickson, R. 193 (1995) 89
Linert, W., see Vyazovkin, S. 193 (1995) 109
Linnartz, H., W.L. Meerts and M. Havenith, The ammonia dimer: new infrared–far infrared double resonance results 193 (1995) 327
Lou, N.-q., see Yang, W.-s. 193 (1995) 345
Lukins, P.B., see Golzan, M.M. 193 (1995) 167
Lund, A., see Erickson, R. 193 (1995) 89

Maniloff, E.S., F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild, Power broadening of the spectral hole width in an optically thick sample 193 (1995) 173
Martínez, H. and T.J. Morgan, Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 193 (1995) 193
McKenzie, D.R., see Golzan, M.M. 193 (1995) 167
Meerts, W.L., see Linnartz, H. 193 (1995) 327
Misurkin, I.A., see Tchougréeff, A.L. 193 (1995) 19
Morgan, T.J., see Martínez, H. 193 (1995) 193
Murrell, J.N., see Naumkin, F.Yu. 193 (1995) 27

Naumkin, F.Yu., P.J. Knowles and J.N. Murrell, Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions 193 (1995) 27
Nüesch, F. and M. Grätzel, H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties 193 (1995) 1

Okuda, I.V., see Donaldson, D.J. 193 (1995) 37

Pedersen, J.B., see Aminov, K.L. 193 (1995) 297
Peterson, J.R., see Xu, W. 193 (1995) 339

Peterson, J.R., see van der Kamp, A.B. 193 (1995) 181
Petrov, E.G., I.S. Tolokh, A.A. Demidenko and V.V. Gorbach, Electron-transfer properties of quantum molecular wires 193 (1995) 237

Renn, A., see Maniloff, E.S. 193 (1995) 173
Runser, C., A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger, Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities 193 (1995) 309

Saalfrank, P., Photodesorption of neutrals from metal surfaces: a wave packet study 193 (1995) 119
Schilder, A., B. Gotschy, A. Seidl and R. Gompper, Preparation and characterisation of the C_{60} charge transfer complex $C_{60}^{-\cdot}$[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$ 193 (1995) 321
Seidl, A., see Schilder, A. 193 (1995) 321
Sloan, J.J., see Donaldson, D.J. 193 (1995) 37
Sobolewski, A.L. and L. Adamowicz, Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones 193 (1995) 67
Soudackov, A.V., see Tchougréeff, A.L. 193 (1995) 19
Špirko, V., see Juřek, M. 193 (1995) 287
Suba, C., see Runser, C. 193 (1995) 309
Sun, W.-z., see Yang, W.-s. 193 (1995) 345

Tchougréeff, A.L., A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn, High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method 193 (1995) 19
Thiébault, A., see Runser, C. 193 (1995) 309
Tolokh, I.S., see Petrov, E.G. 193 (1995) 237
Toth, L.M., see Xu, W. 193 (1995) 339
Traytak, S.D., The diffusive interaction in diffusion-limited reactions: the time-dependent case 193 (1995) 351

van der Kamp, A.B., P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande, Evidence for quasibound states in highly excited CO^+ and NO^+ 193 (1995) 181
van der Zande, W.J., see van der Kamp, A.B. 193 (1995) 181
Vassallo, A.M., see Golzan, M.M. 193 (1995) 167
Viehland, L.A. and A.S. Dickinson, Transport of diatomic ions in atomic gases 193 (1995) 255
Vojtík, J. and J. Fišer, Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^- 193 (1995) 47
Vyazovkin, S. and W. Linert, False isokinetic relationships found in the nonisothermal decomposition of solids 193 (1995) 109

Wild, U.P., see Maniloff, E.S. 193 (1995) 173
Wynne, K. and R.M. Hochstrasser, The theory of ultrafast vibrational spectroscopy 193 (1995) 211

Xu, D.-l., see Yang, W.-s. 193 (1995) 345
Xu, W., S. Dai, L.M. Toth and J.R. Peterson, Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation 193 (1995) 339

Yang, W.-s., G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou, The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions 193 (1995) 345

ELSEVIER

Chemical Physics 193 (1995) 370–378

Chemical Physics

Subject index to volume 193

Methods

Theoretical

Classical mechanics

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

Many body and quasiparticle approaches

High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19

Coupling schemes and perturbative treatments

The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Transport quantum mechanics

Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237

Statistical mechanics of stationary states

Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Ab initio schemes for stationary properties

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27

Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37

Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X\,^2\Sigma^+$ state of all isotopic variants of LiH^-, J. Vojtík and J. Fišer 193 (1995) 47

Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55

Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones, A.L. Sobolewski and L. Adamowicz 193 (1995) 67

Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79

Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287

Computational and simulation methods

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27

Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89

A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101

False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109

Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297

Molecular dynamics and scattering theory

Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119

Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141

Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287

Experimental

Magnetic resonances

NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167

Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

Preparation and characterisation of the C_{60} charge transfer complex C_{60}^-[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Microwave spectroscopy

The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Infrared spectroscopy

Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37

The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Visible and UV spectroscopy

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

Fluorescence spectroscopy
H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

Laser methods
The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Non-linear optical spectroscopy
Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

Multiple resonance spectroscopy
Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89

Atomic and molecular beam techniques
Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193
The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Time-resolved experiments
The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Mass spectrometry
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Field emission and field ionization
Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193

Objects

Bulk systems

Gases
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Liquid mixtures and solutions
The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Crystals
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

-neat
A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101

Polymers
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173

Thin films
NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167

Surfaces
Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Microscopic systems

Atoms
The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Molecules (neutral and ionic)
Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

-diatomic

Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^-, J. Vojtík and J. Fišer 193 (1995) 47

Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141

Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181

Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Jurek, V. Špirko and W.P. Kraemer 193 (1995) 287

-small polyatomics

Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37

Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55

The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

-aromatics

Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones, A.L. Sobolewski and L. Adamowicz 193 (1995) 67

Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89

-polymeric and biological

Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237

Molecular aggregates

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79

Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237

-dimers

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

-clusters
Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

-complexes
High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Free radicals (including hydronium and muonium)
Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297

Ions and charge carriers
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Phenomena

Molecular structure
Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287
Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

Vibrations and rotations of molecules
Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287
The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Electronic structure and states

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27

Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55

Electric and magnetic properties

Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X\,^2\Sigma^+$ state of all isotopic variants of LiH^-, J. Vojtík and J. Fišer 193 (1995) 47

NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167

Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Molecular interactions

Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79

Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141

Coupling of electronic and nuclear motion

Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141

Energy transfer processes

Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141

The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Molecular photophysical processes

Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119

Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173

The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Luminescence spectra, yields and lifetimes

Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

Non-linear responses (including optical)

Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173

Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

Multiphoton phenomena
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

Reactions (including dissociation)
False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

-gas phase
Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1$, 2, 3, 4) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

-condensed phase
False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

Electron transfer
Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193
Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Ionization (including Rydberg states)
Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193

Molecular motion (including diffusive)
A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101

Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297

Surface effects and catalysis
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Thermodynamic and transport properties
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Structure of solids and liquids
Preparation and characterisation of the C_{60} charge transfer complex $C_{60}^{-\cdot}$[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Phase transitions
High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19